

EGADS automated downloading software

Article Number: 371 | Rating: Unrated | Last Updated: Tue, Feb 10, 2009 at 6:43 PM

EGADS: Extensible GPS Array Data System

EGADS is a community-based download program initially developed for the SCIGN project. EGADS is a Perl program used in conjunction with Sharc (see below) that automates the downloading and file naming of GPS data files from a remote GPS system.

See the UNAVCO summary on [How to install EGADS & SHARC on a RedHat LINUX 7.3 system \(pdf\)](#) for more details on software installation.

Sharc

[sharc-0.99.9-1.i386.rpm](#)

To check for the most recent version of Sharc, go to <http://sourceforge.net/projects/sharc/>.

EGADS

[egads-2.0a2.tar](#)

EGADS requires 4 **supporting modules** in order to function properly:

- DateTime::Precise
- XML::Parser
- MIME::Base64
- URI::URL

Download modules for 7.3

Modules can also be downloaded individually (below). Note that there may be more recent versions for your specific OS version; most of the modules can be found in rpm format from rpmfind.net.

[DateTime-Precise-1.05.tar.gz](#)

[MIME-Base64-2.12.tar.gz](#)

[URI-1.18.tar.gz](#)

[XML-Parser-2.29.tar.gz](#)

[expat-1.95.2-1.i686.rpm](#)

To **install an rpm** use the following command : rpm -Uvh 'rpm name'.

To **install the modules** (if not an rpm) perform the following set of commands:

```
'perl Makefile.PL'
```

```
'make'
```

```
'make test'
```

```
'make install'
```

Hints

Try a direct connection first and then a modem or FreeWave connection. Run Sharc manually first, just to make sure that you are able to download a file allocation table (fat) file. You can always type sharc --help and you will get the different options that Sharc will take as input.

Examples:

```
sharc --port /dev/ttyS1 --baud 38400 --fatfile fat.out (fat.out will show index of all files on receiver)
```

```
sharc --port /dev/ttyS1 --baud 38400 --download 2-4 (will download files 2-4)
```

To run egads manually from /home/egads/EGADS/bin

```
./egads_client.pl --nosoap --daemon --hub local-ttyS1 > /dev/null &
```

The following run_egads script can be placed in /home/egads and run from the cron:

```
#!/bin/tcsh
set R=`/sbin/pidof -x /home/egads/EGADS/bin/egads_client.pl`
if ( "$R" == "" ) then
setenv EGADSCONFIG /home/egads/EGADS/xml/Egads.xml
cd /home/egads/EGADS/bin
nohup ./egads_client.pl --nosoap --daemon --hub local-ttyS1 > /dev/null &
endif
exit
```

Your crontab entry could look like the following:

```
05 * * * * /home/egads/run_egads > /dev/null 2>&1
```

Posted by: **Beth Bartel** - Tue, Feb 10, 2009 at 6:43 PM. This article has been viewed 6865 times.

Online URL: <https://kb.unavco.org/kb/article/egads-automated-downloading-software-371.html>